

PipePatch®

NO DIG

PIPE REPAIR SYSTEM

ECO FRIENDLY
CONTAINS NO VOCS

PIPEPATCH® CERTIFICATIONS & STANDARDS COMPLIANCE

NSF — Plastic Piping System Components and Related Materials

UPC® — IAPMO Research and Testing assessment of the Quality Assurance System

ICC ES — Complies to IPC, Complies to UPC

PipePatch complies with standards ASTM F 1216/ ASTM F 3541 "Standard Practice for Rehabilitation of Existing Pipelines and Conduits by Inversion and Curing of a Resin-Impregnated Tube"

PIPEPATCH® STANDARD

	Part Number	Description
24" LENGTH	FPP-3	3" x 24" PipePatch Kit
	FPP-4	4" x 24" PipePatch Kit
	FPP-6	6"x 24" PipePatch Kit
	FPP-8	8" x 24" PipePatch Kit
	FPP-10	10" x 24" PipePatch Kit
	FPP-12	12" x 24" PipePatch Kit
	FPP-15	15" x 24" PipePatch Kit
	FPP-18	18" x 24" PipePatch Kit
	FPP-24	24" x 24" PipePatch Kit

	Part Number	Description
48" LENGTH	FPP-3X48	3" x 48" PipePatch Kit
	FPP-4X48	4" x 48" PipePatch Kit
	FPP-6X48	6" x 48" PipePatch Kit
	FPP-8X48	8" x 48" PipePatch Kit
	FPP-10X48	10" x 48" PipePatch Kit
	FPP-12X48	12" x 48" PipePatch Kit
	FPP-15X48	15" x 48" PipePatch Kit
	FPP-18X48	18" x 48" PipePatch Kit
	FPP-24X48	24" x 48" PipePatch Kit

PIPEPATCH® ELBOW

	Part Number	Description
24" ELBOW	FPP-EL2	2" x 18" Elbow PipePatch Kit
	FPP-EL3	3" Elbow PipePatch Kit
	FPP-EL4	4" Elbow PipePatch Kit
	FPP-EL6	6" Elbow PipePatch Kit
	FPP-EL8	8" Elbow PipePatch Kit
	FPP-EL10	10" Elbow PipePatch Kit

	Part Number	Description
48" ELBOW	FPP-EL3X48	3" x 48" Elbow PipePatch Kit
	FPP-EL4X48	4" x 48" Elbow PipePatch Kit
	FPP-EL6X48	6" x 48" Elbow PipePatch Kit

PIPEPATCH® XTEND

Part Number	Description
FPP-EXT-3x120	3" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-3x180	3" x 180" Pipe XTEND Pull-in-Place kit
FPP-EXT-4x120	4" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-4x180	4" x 180" Pipe XTEND Pull-in-Place kit
FPP-EXT-6x120	6" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-6x180	6" x 180" Pipe XTEND Pull-in-Place kit
FPP-EXT-8x120	8" x 120" Pipe XTEND Pull-in-Place kit
FPP-EXT-8x180	8" x 180" Pipe XTEND Pull-in-Place kit

PIPEPATCH® PILLOW

Part Number	Description
FPP-3036x48	30" to 36" x 48" Kit No Fold Kit
FPP-4248X48	42" to 48" x 48" Kit No Fold Kit
FPP-60X48	60" x 48" No Fold Kit
FPP-72X48	72" x 48" No Fold Kit

SCAN HERE
TO VIEW OUR FULL LINEUP
OF PIPEPATCH KITS, EQUIPMENT AND ACCESSORIES

PipePatch®
NO DIG Pipe Repair System

Fernco Inc. | MANHOLE REPAIR MATERIALS



X-SEAL

Hydrophobic polyurethane sealant that bonds to concrete, metal, plastic, wood, and pre-cast connections to prevent infiltration.

SEALGUARD II

Polyurethane grout that quickly seals active leaks in precast, cement, or brick structures, stopping infiltration permanently.

QSR

Rapid-setting, acid-resistant calcium aluminate for bench, invert, and void rehab. Sets in 10-15 minutes for quick restoration.

HYPERFLEX

Hydrophobic polyurethane grout that seals concrete leaks with a permanent, non-shrinking bond. NSF-ANSI-CAN 61 approved for potable water.

STRONG PLUG

Rapid-setting (60 seconds), hand-applied cementitious product for stopping infiltrating water.

MS-2®A | MS-2®C

MS-2A is cost-effective for infiltration and structural restoration, while **MS-2C** offers high early strength and corrosion resistance in mild sulfide environments.

HIGH PERFORMANCE

100% calcium aluminate mortar that restores structures in corrosive environments, stopping infiltration and forming a durable liner for pH 1.0+ substrates.

STRONG COMPANY

- **COMPREHENSIVE REHABILITATION**
  Strong-Seal® Systems are engineered to restore concrete and masonry structures, addressing inflow, infiltration, and corrosion.
- **MANHOLE SOLUTIONS**
  Specialized cementitious products and patented equipment designed for effective manhole rehabilitation.
- **STORMWATER REPAIR**
  Storm Seal® restores pipes, culverts, and basins using cost-effective centrifugal casting or spraying methods.



CEMENTITIOUS REPAIR PRODUCTS	Part Number	Description
	GROUT250	Strong-Seal Grout 250 Cementitious Grout Void and Leak Stabilization | 60 lb. Bag
	GROUT1000	Strong-Seal Grout 1000 High-Strength Cementitious Grout | 60 lb. Bag
	GROUT12000	Strong-Seal Grout 12000 Self-Consolidating Grout | 65 lb. Bag
	STORM-SEAL	Strong-Seal® Storm Seal® Spray-Applied Lining | 60 lb. Bag
	QSR-PAIL	Strong-Seal® QSR Fast-Acting Repair Mortar | 40 lb. Bucket
	QSR-BAG	Strong-Seal® QSR Fast-Acting Repair Mortar | 50 lb. Bag
	PROFILE-PLUS	Strong-Seal Profile Plus Cementitious Liner | 60 lb. Bag
	STRONG-PLUG	Storm-Seal® Strong-Plug® Rapid-Acting Leak-Stop Cement | 50 lb. Bucket
	MS-2C	Strong-Seal MS-2®C Bag High-Strength Mortar | 60 lb. Bag
	MS-2A	Strong-Seal MS-2®A Economical Cementitious Mortar | 60 lb. Bag
	HIGH-PERFORMANCE-MIX	Strong-Seal High Performance Mix | 60 lb. Bag
	GEOPOLYMER	Strong-Seal Geopolymer for Structural Rehabilitation | 65 lb. Bag



SealGuard inc®

WORLD CLASS WATER SEALING SOLUTIONS

SEALGUARD

HYDROPHOBIC POLYURETHANE GROUT REPAIR PRODUCTS



- **RAPID REACTION TIME**
  SealGuard II is a dual-component hydrophobic polyurethane that reacts within 1 to 3 seconds, effectively stopping high-flow leaks exceeding 50 gallons per minute.
- **DURABLE AND NON-SHRINKING**
  Being hydrophobic, SealGuard grouts do not absorb water or shrink after curing, ensuring long-lasting seals in various structures, including manholes, vaults, and tunnels.
- **VERSATILE APPLICATION**
  Suitable for both high-flow and low-flow leaks, SealGuard products can be injected into fine fractures and perform well even in the presence of flowing water, making them ideal for diverse infrastructure repairs.

Part Number	Description
SG-6KITST	SealGuard II Starter Kit (6pk) with Dual Component Caulk Gun
SG-CGUND	Premium Dual Component Caulk Gun
SG-CGUNPN	Pneumatic Dual Component Caulk Gun
SG-MXP6	SealGuard II Static Mixers (6 pk)
SG-MXP12	SealGuard II Static Mixers (12 pk)
SG-RE6	SealGuard II Reorder Kit (6 pk) with mixing tips
SG-RE12	SealGuard II Reorder Kit (12 pk) with mixing tips
SG-HF6	HyperFlex (300 mil cart.) 6 pack
SG-HF12	HyperFlex (300 mil cart.) 12 pack
SG-HF12TIP	HyperFlex Tips (12 pk)
SG-HF5G	HyperFlex (5 gallon container)
SG-X-SEAL-12	X- Seal (12-300 ml Kit)

